

CoaguChek® XS Pro PT ControlsVersion
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012**SECTION 1. IDENTIFICATION**

Product name : CoaguChek® XS Pro PT Controls

Mat.-No./ Genisys-No. : 04625382160

Manufacturer or supplier's details

Company name of supplier : Roche Diagnostics

Address : 9115 Hague Road
46250 Indianapolis IN

Telephone : 1-800-428-5074

Emergency telephone number:

In case of emergencies: : CHEMTREC

1-800-424-9300 (U.S. or Can-
ada)

1-703-527-3887 (International)

Recommended use of the chemical and restrictions on use

Restrictions on use : For professional users only.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

The product is a kit consisting of individual ingredients. The classification of the ingredients can be obtained from section 3. Section Label elements contains the resulting labelling for the kit.

GHS Label element

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS***PT Level 1*****GHS Classification**

Not a hazardous substance or mixture.

Hazardous components

No hazardous ingredients

PT Level 2**GHS Classification**

Not a hazardous substance or mixture.

Hazardous components

No hazardous ingredients

CoaguChek® XS Pro PT ControlsVersion
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012**PT Bulb****GHS Classification**

Not a hazardous substance or mixture.

Hazardous components

No hazardous ingredients

SECTION 4. FIRST AID MEASURES

General advice	: Do not leave the victim unattended.
If inhaled	: Move to fresh air. If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: If on skin, rinse well with water.
In case of eye contact	: Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Rinse mouth with water.
Most important symptoms and effects, both acute and delayed	: No information available.
Notes to physician	: The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Specific hazards during fire-fighting	: No information available.
Further information	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

CoaguChek® XS Pro PT ControlsVersion
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
- Environmental precautions : Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust.
Sweep up and shovel.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : No materials to be especially mentioned.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION***PT Level 1*****Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

PT Level 2**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

PT Bulb**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Material : Protective gloves

CoaguChek® XS Pro PT Controls
Version
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

Remarks	: The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Safety glasses
Skin and body protection	: Protective suit
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES
PT Level 1

Appearance	: (lyophilised)
Colour	: light yellow
Odour	: none
Odour Threshold	: No data available
pH	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: does not flash
Evaporation rate	: No data available
Flammability (solid, gas)	: Sustains combustion
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

CoaguChek® XS Pro PT ControlsVersion
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

Viscosity : No data available
Explosive properties : No data available
Oxidizing properties : The substance or mixture is not classified as oxidizing.

PT Level 2

Appearance : (lyophilised)

Colour : light yellow

Odour : none

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : Sustains combustion

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

Explosive properties : No data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

PT Bulb

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : does not flash

CoaguChek® XS Pro PT ControlsVersion
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

Evaporation rate	: No data available
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: completely miscible
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	: No data available
Incompatible materials	: No data available
Hazardous decomposition products	: No data available

SECTION 11. TOXICOLOGICAL INFORMATION***PT Level 1*****Acute toxicity**

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

CoaguChek® XS Pro PT ControlsVersion
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

PT Level 2**Acute toxicity**

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or

CoaguChek® XS Pro PT ControlsVersion
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

PT Bulb**Acute toxicity**

Not classified based on available information.

Product:

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

CoaguChek® XS Pro PT ControlsVersion
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012**STOT - single exposure**

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION***PT Level 1*****Ecotoxicity****Product:**

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to
the environment : No data available**Persistence and degradability**

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

PT Level 2**Ecotoxicity****Product:**

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

CoaguChek® XS Pro PT ControlsVersion
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

Other organisms relevant to the environment : No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

PT Bulb**Ecotoxicity****Product:**

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : Not expected to adsorb on soil.

Other organisms relevant to the environment : No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

CoaguChek® XS Pro PT ControlsVersion
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : The product has to be disposed of as laboratory chemical in accordance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulation****IATA-DGR**

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION***PT Level 1***

TSCA list : Not relevant

EPCRA - Emergency Planning and Community Right-to-Know Act**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

CoaguChek® XS Pro PT Controls
Version
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Animal serum /-plasma /- hemolysate - different species, lyophilized	Not Assigned	90 - 100 %
Hepes, Hemisodium	103404-87-1	5 - 10 %

New Jersey Right To Know

Animal serum /-plasma /- hemolysate - different species, lyophilized	Not Assigned	90 - 100 %
Hepes, Hemisodium	103404-87-1	5 - 10 %

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

REACH	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
CH INV	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
TSCA	: Not On TSCA Inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.

CoaguChek® XS Pro PT Controls
Version
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
AICS	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
ISHL	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
KECI	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
PICCS	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
IECSC	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

PT Level 2

TSCA list : Not relevant

CoaguChek® XS Pro PT Controls
Version
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012
EPCRA - Emergency Planning and Community Right-to-Know Act
CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Animal serum /-plasma /- hemolysate - different species, lyophilized	Not Assigned	90 - 100 %
Hepes, Hemisodium	103404-87-1	5 - 10 %

New Jersey Right To Know

Animal serum /-plasma /- hemolysate - different species, lyophilized	Not Assigned	90 - 100 %
Hepes, Hemisodium	103404-87-1	5 - 10 %

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

REACH : Not in compliance with the inventory

CoaguChek® XS Pro PT Controls

 Version
1.5

 Revision Date:
04-24-2015

 Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
CH INV	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
TSCA	: Not On TSCA Inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
AICS	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
ISHL	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium
KECI	: Not in compliance with the inventory
	: Animal serum /-plasma /- hemolysate - different species, lyophilized
	: Hepes, Hemisodium

CoaguChek® XS Pro PT Controls
Version
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

- PICCS : Not in compliance with the inventory
- : Animal serum /-plasma /- hemolysate - different species, lyophilized
- : Hepes, Hemisodium
- IECSC : Not in compliance with the inventory
- : Animal serum /-plasma /- hemolysate - different species, lyophilized

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

PT Bulb

TSCA list : Not relevant

EPCRA - Emergency Planning and Community Right-to-Know Act
CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium azide	26628-22-8	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium azide	26628-22-8	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

CoaguChek® XS Pro PT Controls
Version
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

sodium azide	26628-22-8	0 - 0.1 %
--------------	------------	-----------

Pennsylvania Right To Know

water	7732-18-5	90 - 100 %
sodium azide	26628-22-8	0 - 0.1 %

New Jersey Right To Know

water	7732-18-5	90 - 100 %
-------	-----------	------------

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

REACH	: Not in compliance with the inventory
	: calcium chloride
	: sodium azide
CH INV	: On the inventory, or in compliance with the inventory
TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL.
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: Not in compliance with the inventory
	: water
ISHL	: Not in compliance with the inventory
	: water
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

Inventories

CoaguChek® XS Pro PT Controls
Version
1.5Revision Date:
04-24-2015Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

PT Level 1**GHS Label element**


Not a hazardous substance or mixture.

PT Level 2**GHS Label element**

Not a hazardous substance or mixture.


PT Bulb**GHS Label element**

Not a hazardous substance or mixture.

SECTION 16. OTHER INFORMATION**Further information****PT Level 1****NFPA:****HMIS III:**

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

PT Level 2**NFPA:****HMIS III:**

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

PT Bulb

SAFETY DATA SHEET




CoaguChek® XS Pro PT Controls

Version
1.5

Revision Date:
04-24-2015

Date of last issue: 09-18-2014
Date of first issue: 06-04-2012

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 04-24-2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN