

艾博生物医药 ABON Bio	质量体系技术规范 Quality System Technical Specification	Document No. MS-0090
		Version: B Revision: 00
文件名称 Document Name:	Material Safety Data Sheet Multi-CLIN™ Drug Screen Test Device (Urine)	Page 1 of 3

编者 Originator: Roger King	日期 Date: Sep. 03, 2007	编制部门 Prepared Department: RAD
审核人 Reviewed by: Amy zhu	日期 Date: Sep. 03, 2007	审核部门 Reviewed Department: QA
批准人 Approved by: RB	日期 Date: Sep. 03, 2007	批准部门 Approved Department: RAD
发放号 Distribution Number:	生效日期 Effective Date: 2007年09月05日	

MATERIAL SAFETY DATA SHEET

Multi-CLIN™ Drug Screen Test Device (Urine)

1. Identification of the substance/preparation and of the company/undertaking

Product: One Step Multi-CLIN™ Drug Screen Test Device (Urine)

Description: This device is comprised of the following drug test combinations:

- a. (AMP/PCP/THC/P line) + (BZO/TCA/mAMP/P line) + (COC/MOP/BAR/P line) + (OXY/PPX/ACE/P line).
- b. (AMP/COC/THC/ P line)+(BZO/TCA/BAR/P line)+(MDMA/OPI300/PCP/P line)+(OXY/PPX/P line)

Catalog Number: DCB-1125-011 and DCB-1115-011

MANUFACTURER:

Innovacon, Inc.

4106 Sorrento Valley Boulevard.

San Diego, CA, 92121 USA

Phone: (858)-535-2030

Fax: (858)-535-2037

www.innovaconinc.com

Attn.: Inside Sales and Customer Support

Information in case of emergency:

Tel: (858)-535-2030

2. Composition/information on ingredients

Multi-CLIN™ Drug Screen Test Device containing dry reagents (Specific Drug Antigens, Mouse monoclonal anti-Drug antibodies, polyclonal Goat anti-Rabbit antibodies, Rabbit IgG, buffers) is stored in a sealed pouch containing desiccant.

3. Hazards identification

Physiochemical Hazard: None

Health Hazard: Each Test Strip of Multi-CLIN™ Drug Screen Test Device contains sodium azide at a concentration of <0.02% (7.5mg/test).

It is below the exempted limit (LD₅₀ 27mg/kg).

Environmental Hazard: None

艾博生物医药 ABON Bio	质量体系技术规范 Quality System Technical Specification	Document No. MS-0090	
		Version: B	Revision: 00
文件名称 Document Name: Material Safety Data Sheet Multi-CLIN™ Drug Screen Test Device (Urine)			Page 2 of 3

4. First-aid measures

The pouched device is a plastic device which containing dry reagents of which are applied to the strip. Therefore if the user comes in contact with the sample (urine) should follow normal personal hygiene measures.

5. Fire-fighting measures

Not Applicable

6. Accidental release measures

Not Applicable.

7. Handling and storage

Store at 2-30°C

8. Exposure controls/personal protection

Use good laboratory practices, including laboratory gloves and safety glasses.

9. Physical and chemical properties

The Device comprises four strips for testing different drugs. Each test strip consisting of insert membrane and pad material impregnated with chemical reagents in dry form is housed in a plastic casing and is placed in a sealed pouch containing desiccant. The device is odorless.

10. Stability and reactivity

Stable under conditions of use until the expiry date indicated on the corresponding label.

11. Toxicological information

Not Applicable

12. Ecological information

Not Applicable.

13. Disposal considerations

The used device should be disposed of in accordance with federal, state and local regulations.

14. Transport information

Not Applicable.

15. Regulatory information

Not classified as hazardous according to EEC criteria.

艾博生物医药 ABON Bio	质量体系技术规范 Quality System Technical Specification	Document No.	MS-0090
		Version: B	Revision: 00
文件名称 Document Name:	Material Safety Data Sheet Multi-CLIN™ Drug Screen Test Device (Urine)		Page 3 of 3

16. Other information

The information contained in this document is believed to be correct, but does not purport to be all-inclusive and shall only be used as a guide. Innovacon shall not be held liable for any damage resulting from handling or contact with the above product.