



SMART PRODUCTS | SAFE PATIENT CARE



4461 BRONX BOULEVARD, BRONX, NY 10470-1496

800.221.8031 | 718.994.0800 | FAX 718.325.7995

WWW.BRANDTIND.COM



SMART PRODUCTS | SAFE PATIENT CARE

Dear Valued Customer,

Brandt Industries is proud to announce our **WBENC** diversity standing with the *Women's Business Enterprise National Counsel*.

Our mission remains unchanged: Provide our customers with smart, safe and innovative products proudly made in the USA. Our national sales representative network supports all of our distribution partners.

We can customize many of our products to meet your special needs. Please contact us with your specifications.

We value and appreciate your trust in our products and services.

Warm regards,

Brandt Industries Inc.



SEATING

Safe Exam Seating.....	1-2
Safe Medical Seating	3-6
Treatment Chairs	7-9
Treatment Table.....	10
Task Chairs	11
Ergonomic Seating.....	12-13
Phlebotomy Chairs	14-15
Mammography Chair/Procedure Chair/Dental X-Ray	16-19
Procedure Chairs	20

LIGHTING

Exam and Procedure Lighting.....	21-24
Illuminated Magnifiers and Woods Light.....	25
Exam Lamps.....	26
Low Voltage Halogen Lamps.....	27-29
Minor Surgery and Exam Lamps	31-32
Infra-Red Lamps.....	33-37

TUBULAR STEEL

Step & Mobile Treatment Stools	38
--------------------------------------	----

STANDS AND CARTS

Instrument Stands	39
Treatment Stands	40-41
Hamper/Kick Bucket.....	42
IV Stands.....	43
Smart Carts and Stands	44-45

SCREENS

Privacy Screens.....	46
----------------------	----

SAFES

Narcotic Safes	47
Digital Safes	48

X-RAY

X-Ray Illuminators.....	49
-------------------------	----

MISC PRODUCTS.....	50-52
--------------------	-------

COMPUTER STAND	53
----------------------	----

HI TECH SCALES	54-59
----------------------	-------

SAFE EXAM SEATING



PREMIER EXAM SEATING

A Item # 17421

- Silent pneumatic suspension
- Mounted on a 23" diameter cast aluminum 5 point base
- 14" diameter round seat
- 2" twin wheel polyurethane casters
- Upholstered in choice of 27 colors*
- Height adjusts from 16.75" to 21.75"

Additional height adjustments available : 19"-26.5", 23"-33"



Safe Exam Seating begins with ergonomics and clinical alignment. We take into consideration the fact that no one-size-fits all. For example: a combination of adding our optional backrest and footrest will help considerably in relieving fatigue in the lower back.

As your working height is adjusted several times a day, our optional adjustment ring (see page 2) saves you from searching for the standard height adjustment lever. Keeping you comfortable and minimizing distractions is our goal in this versatile series of Exam Seating

*Optional standing stability and weight transfer safety casters: helps prevent falls and injuries from run-away stools.
Available on all "Safe Exam stools"*

THE PREMIER SERIES



RING RELEASE MECHANISM

B Item # 17421RR

- Silent pneumatic suspension
- Ring release mechanism
- Mounted on a 23" diameter cast aluminum 5 point base
- 14" diameter round seat
- 2" twin wheel polyurethane casters
- Upholstered in choice of 27 colors*
- Height adjusts from 16.75" to 21.75"

Additional height adjustments available : 19"-26.5" , 23"-33"

RING RELEASE MECHANISM AND FOOTRING

C Item # 17421RR-FR

- Silent pneumatic suspension
- Ring release mechanism
- Adjustable footrest
- Mounted on a 23" diameter cast aluminum 5 point base
- 14" diameter round seat
- 2" twin wheel polyurethane casters
- Upholstered in choice of 27 colors*
- Height adjusts from 16.75" to 21.75"

Additional height adjustments available : 19"-26.5" , 23"-33"

SEATING WITH BACKREST

D Item # 17422

- Silent pneumatic suspension
- Mounted on a 23" diameter cast aluminum 5 point base
- 14" diameter round seat
- 2" twin wheel polyurethane casters
- Upholstered in choice of 27 colors*
- Height adjusts from 16.75" to 21.75"
- 14.5" W x 9.5" H backrest that adjusts vertically, and will tilt to conform to user's body.

Additional height adjustments available : 19"-26.5" , 23"-33"

RING RELEASE MECHANISM AND FOOTRING WITH BACKREST

E Item # 17422RR-FR

- Silent pneumatic suspension
- Ring release mechanism
- Adjustable footrest
- Mounted on a 23" diameter cast aluminum 5 point base
- 14" diameter round seat
- 2" twin wheel polyurethane casters
- Upholstered in choice of 27 colors*
- Height adjusts from 16.75" to 21.75"
- 14.5" W x 9.5" H backrest that adjusts vertically, and will tilt to conform to user's body.



SADDLE SEAT

Item # 17418

Black Only

*Optional standing stability and weight transfer safety casters: helps prevent falls and injuries from run-away stools.
Available on all "Safe Exam stools"*

SAFE MEDICAL SEATING



J



L



N



O

EXAM PNEUMATIC STOOL

J Item# 13421

- Silent pneumatic suspension
- Mounted on a 23" diameter, black composite 5 point base
- 2" twin wheel polyurethane casters
- 14" diameter round seat
- Upholstered in a choice of 25 colors*
- Height adjusts from 17" to 22"

K Item# 13421-18

- Special safety locking casters, Casters lock when weight is applied.
- All other specifications are the same as item# 13421, listed above

EXAM PNEUMATIC STOOL

N item# 13412

- Silent pneumatic suspension
- Mounted on a 23" diameter, black composite 5 point base
- 2" twin wheel polyurethane casters
- 14" diameter round seat
- Upholstered in a choice of 25 colors*
- height adjustment is 19.5" to 27" with backrest
- 14.5" W x 9.5" H backrest that adjusts vertically, and will tilt to conform to user's body

EXAM PNEUMATIC STOOL

L Item# 13422

- Silent pneumatic suspension
- Mounted on a 23" diameter, black composite 5 point base
- 2" twin wheel polyurethane casters
- 14" diameter round seat
- Upholstered in a choice of 25 colors*
- Height adjusts from 17" to 22"
- with backrest
- 14.5" W x 9.5" H backrest that adjusts vertically, and will tilt to conform to user's body

M Item# 13422-18

- Casters lock when weight is applied.
- All other specifications are the same as item# 13422, listed above

EXAM PNEUMATIC STOOL

O Item# 13411

- Silent pneumatic suspension
- Mounted on a 23" diameter, black composite 5 point base
- 2" twin wheel polyurethane casters
- 14" diameter round seat
- Upholstered in a choice of 25 colors*
- Height adjustment 19.5" to 27".

*

COLOR CHART



HEAVY DUTY EXAM SEATING

NEW!

HEAVY DUTY EXAM & PROCEDURE SEATING

Item# 17431



- 16" increased foam density for greater comfort and stability
- Heavy duty pneumatic cylinder for high volume usage
- 5 heavy duty casters with locks on 3 for safety during procedures
- Large heavy duty base increases stability and comfort
- Optional Foot Ring (recommended) for increased comfort and lower back fatigue reduction.
- Available in numerous colors, see color chart
- UL certified for up to 400 Lbs.

*

COLOR CHART					
	Black	Burgundy	Dove Gray	Charcoal	Navy Blue
Teal	Tea Rose	Regiment Blue	Chestnut Brown	Saddle Tan	

SAFE MEDICAL SEATING



E Item# 12111

- Welded chrome steel frame and precision machined adjustment screw.
- 14" diameter round seat.
- Mounted on 2" twin wheel polyurethane casters, glides or crutch tips. Stools on glides or crutch tips are 2" lower in height.
- Footrest
- Base diameter 21"
- Height adjustment 18" to 24"
- Available in choice of 27 colors*
- Item# 12121 with a height adjustment of 18" to 28"

REVOLVING STOOL


F Item# 12112

- Welded chrome steel frame and precision machined adjustment screw.
- 14" diameter round seat.
- Mounted on 2" twin wheel polyurethane casters.
- Base diameter 21"
- Height adjustment 18" to 24"
- Available in choice of 27 colors*
- Backrest
- Item# 12122 with a height adjustment 18" to 28"



*

COLOR CHART



*Optional standing stability and weight transfer safety casters: helps prevent falls and injuries from run-away stools.
Available on all "Safe Exam stools"*

HYDRAULIC SURGEON'S STOOL



P Item# 15511

- Hydraulically adjustable by means of a convenient foot pedal
- Raises, lowers or locks the chair anywhere within its 360 degree range of rotation without the use of ones hands.
- 23" diameter cast aluminum base
- 14" diameter round seat
- 2" twin disc nylon casters with locking brakes
- Rotation of the seat does not affect the stool height
- Height adjustment from 22.5" to 29.5"

Q Item# 15512

- Hydraulically adjustable by means of a convenient foot
- Raises, lowers or locks the chair anywhere within its 360 degree range of rotation without the use of ones hands
- 23" diameter cast aluminum base
- 14" diameter round seat
- 2" twin disc nylon casters with locking brakes
- Rotation of the seat does not affect the stool height
- Height adjustment from 22.5" to 29.5"
- backrest
- Armrests available as an option



R Item# 15513

- Hydraulically adjustable by means of a convenient foot pedal
- Raises, lowers or locks the chair anywhere within its 360 degree range of rotation without the use of ones hands.
- 23" diameter cast aluminum base
- 2" twin disc nylon casters with locking brakes
- Rotation of the seat does not affect the stool height
- Height adjustment from 22.5" to 29.5"
- Same as above with
- backrest
- "D" shaped seat
- Armrests available as an option.



*

COLOR CHART



SAFE MEDICAL SEATING



PNEUMATIC STOOL WITH ATTACHED ROTATING DESK

A Item# 14111

- Silent pneumatic suspension
- 12" X 16" computer or writing desk that can rotate 360 degrees
- Mounted on a 23" diameter, cast aluminum 5 point base
- 14" diameter round seat
- 2" ball bearing non marring casters
- Height adjusts from 19" to 26.5"
- Upholstered in choice of 25 colors

*

COLOR CHART



B Item# 14112

- Backrest
- All other specifications are the same as item# 14111, listed above





DENTAL ASSISTANT'S STOOL

- Full tilt adjustment allows the medical or dental user to sit comfortably while working.
- The ratchet arm adjusts vertically and horizontally to allow the use to operate comfortably.
- Five-leg aluminum base provides improved stability.
- Height adjustment from 23" to 33" also available.
- Round seat provides more freedom to move.
- Casters glide easily in any environment.
- Single lever adjustment
- Ratcheting arm
- Adjustable foot ring
- 23" Aluminum base
- Round 14" diameter seat
- Height adjusts from 19.5" to 26.5"
- 2" twin wheel casters



TREATMENT CHAIRS



CLINICAL CARE RECLINER

Item# 20103

- Designed for use in Dialysis, blood collection, oncology, respiratory and cardiac care
- 3 position Recliner with unlimited adjustable back. Deep recline and Trendelenburg can only be achieved by an attendant. Articulating leg rest operates in conjunction with back recline
- Standard release handle which spans the entire back width, allows for quick back release and can be operated from either side of the chair
- Adjustable seat and back straps provide maximum comfort
- Foam and vinyl material meet California flammability and Boston fire Specifications
- Upholstered to order in choice of Blue Ridge, Rosewood or Jade vinyl

Specifications:

- Seat: 19.5" D x 21.5" W x 22.5" H
- Width between arms: 22"
- Overall Dimensions: 38" D x 30.5" W x 47.5" H
- Casters: 5" (2 with brakes)



A Item# 20000

- Designed for use with leg and hip tanks to facilitate treatment of the lower extremities
- Constructed so the legs of the chair straddle the front end of the tank permitting the seat to be positioned just above the tank rim
- Black vinyl covered seat and back (other colors available at additional cost) mounted on a chrome steel frame
- Safety belts are standard
- Supplied with crutch tips
- Seat: 17"W x 15.5"D
- Back: 13.75"W x 7"H
- Width inside arms: 20.5"
- Spread of legs: 16.5"D x 21.5"W
- Adjustable: 21 to 31.5"

B Item# 20002 [Not Shown]

- 3" ball bearing casters (2 with brakes), as opposed to crutch tips in above chair
- Spread of legs: 16.5"D x 21.5"W
- Adjustable: 25.25" to 35.25"
- All other specifications are the same as item# 20000, listed above



Item # 17427-PU

- Polyurethane stool with back
- 5 star Aluminum base
- Available with a foot ring for the 8" and 10" height adjustable models
- Back with tilt mechanism
- Available with either 5", 8" or 10" height adjustment
- Seat - 17"D x 18"W x 1" thick
- Back - 11"D x 16.5"W x 1.5" thick
- 275lb weight capacity



Item# 13427-PU

- Polyurethane stool with back
- 5 star Black composite base
- Available with a foot ring for the 8" and 10" height adjustable models
- Back with tilt mechanism
- Available with either 5", 8" or 10" height adjustment
- Seat - 17"D x 18"W x 1" thick
- Back - 11"D x 16.5"W x 1.5" thick
- 275lb weight capacity



Item# 17426-PU

- Sit Stand Stool
- Polyurethane stool
- 5 star Aluminum base
- Available with a foot ring for the 8" and 10" height adjustable models
- Available with either 5", 8" or 10" height adjustment
- 275lb weight capacity



Item# 13426-PU

- Sit Stand Stool
- Polyurethane stool
- 5 star Black composite base
- Available with a foot ring for the 8" and 10" height adjustable models
- Available with either 5", 8" or 10" height adjustment
- 275lb weight capacity



Item# 17424-PU

- Polyurethane stool with round seat
- 14" diameter round seat x 2" thick
- 5 star Aluminum base
- Available with a foot ring for the 8" and 10" height adjustable models
- Available with either 5", 8" or 10" height adjustment
- 275lb weight capacity



Item# 13424-PU

- Polyurethane stool with round seat
- 14" diameter round seat x 2" thick
- 5 star black composite base
- Available with a foot ring for the 8" and 10" height adjustable models
- Available with either 5", 8" or 10" height adjustment
- 275lb weight capacity

ERGONOMIC TASK CHAIR

TASK CHAIR

A Item # 13418

- Contour design encourages proper body placement to reduce stress on the back, neck and shoulders.
- Independent controls allow adjustment of the back rest and seat angles. Hips are positioned to provide proper lumbar curvature.
- Compound curve in the oversized seat keeps the occupant positioned against the backrest to prevent pressure on the pelvis.
- Waterfall seats eliminate pressure to the back of the thighs.
- Pneumatic height adjustment from 17 1/2" to 23".
- Upholstery available in all color options
- Range of motion:
 - Seat: 7° forward, 5° backward.
 - Back: 5° forward, 20° backward, 4" elevation.
- Dimensions: Seat: 19"W x 17 1/2"D. Back: 16"W x 16"H. Composite Base: 25" Diameter.



A

B Item# 13419

- height adjustable arms (2 1/2") to maintain 90° elbow angle.
- All other specifications are the same as item# 13418, listed above



B

Upholstery available in Slate Interweave and Blue Interweave.

* COLOR CHART														
	Black	White	Dove Gray	Gun Metal	Parchment	Taupe	Chestnut Brown	Saddle Tan	Buckskin	Ocean	Raspberry	Apple	Twilight	
	Dusty Jade	Teal	Sea Foam	Regiment Blue	Navy Blue	Space Blue	Violet	Burgundy	Tea Rose	Aqua	Lemon	Fire	Tangerine	

ERGONOMIC SEATING

HIP-HIGH CHAIR

A Item # 80-81301

- Designed for post hip surgery residents
- Attractive, durable brown vein finish
- Contoured armrests are comfortable and durable
- Attractive vinyl seat and backrest is soft, comfortable and water resistant



DELUXE HIP-HIGH CHAIR

B Item# 80-81301W

- Designed for post hip surgery residents
- Allows for sitting without bending at the hip
- Secure armrests help sitting and pushing up from the chair both safe and easy
- Attractive vinyl seat and backrest are soft, washable, comfortable and water resistant
- Constructed of solid maple hardwood—not a plywood veneer
- The footrest has three height adjustments to provide maximum comfort and an ergonomic fit

SONOGRAPHY CHAIR

item# 17800

- Seat slider standard
- 2-position tilt lock
- Center knob tension adjustment
- 360° swivel
- Pneumatic seat height adjustment
- Seat and back tilts
- Backward tilt tension
- Adjustable seat depth
- Adjustable back height
- 330 lb. weight capacity
- Available in Black or Blue vinyl



PHLEBOTOMY CHAIRS




ANESTHESIA/LAB STOOL

Item# 13420

- Balances work posture and weight support
- Concave seat with waterfall front
- 18" wide x 18" deep seat
- A higher contoured ergonomic backrest with lumbar curve and backrest tilt, measures 18" wide x 20" high
- Height adjustable seat and foot ring
- Includes a protective wrap-around plastic back panel
- Generously padded, vinyl covered adjustable height armrests that adjust with the press of a button.
- 2" twin wheel polyurethane casters
- Available in all colors.

*

COLOR CHART



BLOOD DRAWING CHAIR WITH DRAWER



A

A item# 20700

- Provides a comfortable, efficient means of collecting blood from ambulatory patients.
- Two full length, height adjustable armrests support the arm in the optimum position for venipuncture and prevent back bending of the elbow and subsequent flattening of the vein.
- Armrests are interchangeable, left to right.
- Neutral gray, powder coated steel frame and black, one piece polypropylene seat are designed for maintenance free service.
- Drawer that may be placed at either side of the chair and the movable portion angled to either side.
- Seat height – 17.25"
- Over width – 37.5"
- Overall depth – 19.5"
- Seat width – 17"
- Base – 27" x 18.25"

BLOOD DRAWING CHAIR

B item # 20701

- Provides a comfortable, efficient means of collecting blood from ambulatory patients.
- Two full length, height adjustable armrests support the arm in the optimum position for venipuncture and prevent back bending of the elbow and subsequent flattening of the vein.
- Armrests are interchangeable, left to right.
- Neutral gray, powder coated steel frame and black, one piece polypropylene seat are designed for maintenance free service.
- Seat height – 17.25"
- Overall width – 28 1/2 "
- Overall Depth – 18"
- Seat Width – 17"
- Base – 27" x 18.25"



B

PHLEBOTOMY CHAIRS



C

BACK SAVER MODEL

BLOOD DRAWING CHAIR WITH DRAWER

item# 22700

- C Provides a comfortable, efficient means of collecting blood from ambulatory patients.
- Two full length, height adjustable armrests support the arm in the optimum position for venipuncture and prevent back bending of the elbow and subsequent flattening of the vein.
- Armrests are interchangeable, left to right.
- Neutral gray, powder coated steel frame and black, one piece polypropylene seat are designed for maintenance free service.
- Drawer that may be placed at either side of the chair and the movable portion angled to either side.
- Seat height – 27"
- Overall width – 37.5"
- Overall depth – 26.25"
- Seat width – 17"
- Base – 27.75" x 26.25"

item# 22701 [Not Shown]

- no drawer
- overall width 28 1/2"
- All other specifications are the same as item# 22700, listed above



D

HYDRAULICALLY ADJUSTABLE BLOOD DRAWING CHAIR WITH DRAWER

D item# 23700

- Models supplied with our hydraulic lift mechanism are adjustable 6.5" in height, revolve 360 degrees and can be locked at any height or rotational position.
- The combined features of arm and height adjustability eliminate back strain for the technician.
- Drawer that may be placed at either side of the chair and the movable portion angled to either side.
- Seat height 19.5" to 26"
- Overall depth – 24"
- Seat Width – 17"
- Base – 24"
- Overall width – 37.5"

item# 23701

- no drawer
- overall width 28 3/4"
- All other specifications are the same as item# 23700, listed above

TREATMENT CHAIR WITH CONTOURED HEADREST

A item# 23730

- Designed for patient comfort and adjustment optimization for the medical practitioner.
- Provided with a tubular footrest, polyurethane armrests and black vinyl upholstery.
- An hydraulic pump, controlled by a foot treadle, which is accessible from either side or back of the chair, provides a 6 1/2" adjustment from 21 1/2" to 28". The chair may be raised, lowered or locked anywhere within its 360° range of rotation.
- Easily removed flat headrest or a contoured headrest, which provides a full range of forward or backward movement, angular adjustment and a pivoting headrest cushion. Both headrests are height adjustable.
- Chair back may be reclined to 150° and to any intermediate position.
- Upholstered in choice of 25 colors*
- 26" diameter hydraulic base

B item # 23710 [Not Shown]

- Chair with flat headrest.
- 26" diameter hydraulic base.
- All other specifications are the same as item# 23730, listed above



*

COLOR CHART



Standard in Black. Custom upholstered at additional cost.

MAMMOGRAPHY CHAIR/PROCEDURE CHAIR/DENTAL X-RAY



CHAIR WITH CONTOURED HEADREST

c item # 24730

- Designed for patient comfort and adjustment optimization for the medical practitioner.
- Provided with a tubular footrest, polyurethane armrests and black vinyl upholstery.
- A motorized base, controlled by foot pedal
- Easily removed flat headrest or a contoured headrest, which provides a full range of forward or backward movement, angular adjustment and a pivoting headrest cushion. Both headrests are height adjustable.
- Chair back may be reclined to 150° and to any intermediate position.
- Upholstered in choice of 27 colors*
- Flat headrest
- 23" diameter motor base

CHAIR WITH FLAT HEADREST

D item # 24710

- Designed for patient comfort and adjustment optimization for the medical practitioner.
- Provided with a tubular footrest, polyurethane armrests and black vinyl upholstery.
- A motorized base, controlled by foot pedal
- Easily removed flat headrest or a contoured headrest, which provides a full range of forward or backward movement, angular adjustment and a pivoting headrest cushion. Both headrests are height adjustable.
- Chair back may be reclined to 150° and to any intermediate position.
- Upholstered in choice of 27 colors*
- Flat headrest
- 23" diameter motor base



MAMMOGRAPHY CHAIR/PROCEDURE CHAIR/DENTAL X-RAY



E

MANUALLY ADJUSTABLE TREATMENT CHAIR

E item# 21030

- Compact chair is ideal for eye, ear, nose and throat procedures as well as dental, x-ray and orthodontic treatment. May be used as examination chairs in mobile clinics, industry and nursing homes.
- Equipped with a fully adjustable articulating headrest with a contoured head cushion.
- Seat: 17"W x 15 1/2"D. Back: 16"W x 15"H. Width inside arms: 20 1/2". Overall width: 23".
- Upholstered in choice of 27 colors*
- A motorized base is available. Pedestal is 23" in diameter.
- Manually adjustable from 18" to 25 1/2"



F

HYDRAULIC ADJUSTABLE TREATMENT CHAIR

F item# 23030

- Compact chair is ideal for eye, ear, nose and throat procedures as well as dental, x-ray and orthodontic treatment. May be used as examination chairs in mobile clinics, industry and nursing homes.
- Equipped with a fully adjustable articulating headrest with a contoured head cushion.
- Seat: 17"W x 15 1/2"D. Back: 16"W x 15"H. Width inside arms: 20 1/2". Overall width: 23".
- Hydraulic base is adjustable from 18 1/2" to 26 1/2"
- Upholstered in choice of 27 colors*
- A motorized base is available. Pedestal is 23" in diameter.

**Vinyl upholstered in black. Custom upholstered, at additional cost, in choice of burgundy, buckskin, chestnut brown, dove gray, dusty jade, gunmetal, navy blue, parchment, regimental blue, saddle tan, sea foam, space blue, taupe, tea rose, teal, violet and white.*

See next page for color chart.

MAMMOGRAPHY CHAIR/PROCEDURE CHAIR/DENTAL X-RAY

MAMMOGRAPHY CHAIR

A item# 23110

- Designed for patient comfort and adjustment optimization for the medical practitioner.
- Provided with a tubular footrest, polyurethane armrests and black vinyl upholstery.
- An hydraulic pump, controlled by a foot treadle, which is accessible from either side or back of the chair, provides a 6 1/2" adjustment from 21 1/2" to 28". The chair may be raised, lowered or locked anywhere within its 360° range of rotation.
- Easily removed flat headrest or a contoured headrest, (optional) which provides a full range of forward or backward movement, angular adjustment and a pivoting headrest cushion. Both headrests are height adjustable.
- Chair back may be reclined to 150° and to any intermediate position.
- Reclining backrest and with flat headrest
- Upholstered in choice of 27 colors*
- Removable Armrests with 5 Locking, 2" Dual Wheel Casters


B item# 23500 [Not Shown]

- Chair with non-reclining backrest.
- Without headrest
- All other specifications are the same as item# 23110, listed above



*

COLOR CHART



PROCEDURE CHAIRS

item# 23410

- Versatile chairs can be adjusted from a contour position to a flat treatment table.
- The armrests follow the back as the angle of the back changes and may be removed or lifted to allow egress from either side of the chair.
- Maximum Length (reclined): 67".
- Overall Width: 28".
- ADJUSTABLE HEIGHT from 23" to 29 1/2".
- Upholstered in choice of 27 colors*
- 26" x 30" hydraulic base. Chair may be raised, lowered or locked anywhere within a 360° turning radius.



*

COLOR CHART														
	Black	White	Dove Gray	Gun Metal	Parchment	Taupe	Chestnut Brown	Saddle Tan	Buckskin	Ocean	Raspberry	Apple	Twilight	Siberian Meadow
	Dusty Jade	Teal	Sea Foam	Regiment Blue	Navy Blue	Space Blue	Violet	Burgundy	Tea Rose	Aqua	Lemon	Fire	Tangerine	

Vinyl upholstered in black or white. Custom upholstered, at additional cost, in choice of aqua green, burgundy, chestnut brown, dove gray, gunmetal, navy blue, purple gray, parchment, regimental blue, saddle tan, sea foam, space blue and tea rose.

EXAM AND PROCEDURE LIGHTING

THE LED SERIES



SMD- LED BULB EXAM LAMP

Item # 80676

- 84 SMD LED bulbs
- 7" x 5.25" lens
- Brightness – 1000 lumen
- 15 watt power consumption
- All metal head joint structure
- Closed arm ("U" tube)
- Brightness control switch
- Also available with casters - **Item# 80674**



7" SUPER MAGNIFYING 5 DIOPTER LED EXAM LAMP

Item # 80626

- UL listed
- 7" Glass lens
- 5 diopter / x2.25 power
- 108 LED long lasting bulbs, equivalent to 9 watts
- Simulates natural light
- 2 x 16" adjustable arm
- Also available with casters - **Item# 80624**



7 LED BULB EXAM LAMP

Item # 41724

- 7 LED bulbs
- 24" heavy duty flexible arm
- 12000 LUX at 12" away from LED source
- 12 watt power consumption
- 24V DC power adapter
- Built-in dimmer
- Mobile base

EXAM AND PROCEDURE LIGHTING



A **Item# 43144**

- Provides undistorted magnification, wide viewing area and glare-free light.
- 3 diopter (+75% magnification –13" focal length)
- Swivel neck – rotates axially and provides angular adjustment.
- Spring balancing system enables the lamp to be turned, raised, lowered or tilted to any desired position. 45" reach.
- 5" diameter, bi-convex lens and 22W circline fluorescent tube.

B **Item# 43141** [Not Shown]

- Wall mount
- All other specifications are the same as item# 43144, listed above

C **Item# 43142** [Not Shown]

- Extended wall mount
- All other specifications are the same as item# 43144, listed above

D **Item # 43143**

- Pedestal base model
- All other specifications are the same as item# 43144, listed above

E **Item# 43146** [Not Shown]

- Table clamp model.
- All other specifications are the same as item# 43144, listed above

Item# 039 22 watt circline fluorescent tube

item# 161 22 watt circline black light tube, converts lamp into Wood's lamp.

EXAM AND PROCEDURE LIGHTING

A Item# 43244

- Provides undistorted magnification, wide viewing area and glare-free light.
- 5 diopter (+125% magnification –8" focal length) magnifying lens.
- Swivel neck – rotates axially and provides angular adjustment.
- Spring balancing system enables the lamp to be turned, raised, lowered or tilted to any desired position. 45" reach.
- 5" diameter, bi-convex lens and 22W circline fluorescent tube.

B Item# 43241 [Not Shown]

- Wall mount
- All other specifications are the same as item# 43244, listed above

C Item# 43242 [Not Shown]

- Extended wall mount
- All other specifications are the same as item# 43244, listed above

D Item# 43243

- Pedestal base model
- All other specifications are the same as item# 43244, listed above

E Item# 43246 [Not Shown]

- Table clamp model
- All other specifications are the same as item# 43244, listed above



item# 039 22 watt circline fluorescent tube

item# 161 22 watt circline black light tube, converts lamp into Wood's lamp.

ILLUMINATED MAGNIFIERS AND WOODS LIGHT



A Item# 40170

- Hand held magnifier
- 18W 5,500oK fluorescent tube.
- Provides the features found on more expensive illuminated magnifiers in a more compact, space-saving package.
- Features a 3.5" diameter, 3 diopter optical glass magnifying lens and an 18 watt, 5,500oK super bright fluorescent tube.
- Chrome plated tube set provides height adjustment from 36" to 70".

B Item# 40270

- Hand held magnifier 18W black light blue bulb.
- Provides the features found on more expensive illuminated magnifiers in a more compact, space-saving package.
- Features a 3.5" diameter, 3 diopter optical glass magnifying lens and an 18 watt, 5,500oK super bright fluorescent tube.
- Chrome plated tube set provides height adjustment from 36" to 70".



Item# 165 Replacement 18W 5,500oK fluorescent tube. (CRI 91)

Item# 166 Replacement 18W, UVA black light blue bulb (365nm)

ULTRAVIOLET DIAGNOSTIC LAMP



c Item# 60200

- Useful in the diagnosis of head lice and the treatment of fungus infections and injuries to the skin and eyes
- Lightweight and cordless design for easy use
- Equipped with one - 4 watt black light blue fluorescent tube
- Requires 4 AA batteries (not included)
- 365 NM

EXAM LAMPS



EXAM LAMP

A **item# 41123**

- Designed to provide the user with high performance, long life, value and safety.
- 6 lb., 10 5/8" diameter round base or 4 point, powder coated mobile base.
- ventilated parabolic shade
- neutralizing blue interior
- Handle for ease of adjustment.
- 12" chrome plated flexible arm.
- Chrome plated, adjustable tube set.
- 30" to 58 1/2" height adjustment.

EXAM LAMP

C **item# 41413**

- Designed to provide the user with high performance, long life, value and safety.
- 6 lb., 10 5/8" diameter round base or 4 point, powder coated mobile base.
- 12" chrome plated flexible arm.
- Chrome plated, adjustable tube set.
- polished aluminum shade
- faceted aluminum inner reflector

item# 41414 [not shown]

- 13" x 13" mobile base
- All other specifications are the same as 41413 listed above



EXAM LAMP

B **item# 41124**

- Designed to provide the user with high performance, long life, value and safety.
- 6 lb., 10 5/8" diameter round base or 4 point, powder coated mobile base.
- ventilated parabolic shade
- neutralizing blue interior
- Handle for ease of adjustment.
- 12" chrome plated flexible arm.
- Chrome plated, adjustable tube set.
- 30" to 58 1/2" height adjustment.
- 13" X 13" mobile base.

EXAM LAMP

D **item# 41415**


- Designed to provide the user with high performance, long life, value and safety.
- 12" chrome plated flexible arm.
- polished aluminum shade
- faceted aluminum inner reflector

BULB OPTIONS

- Fluorescent bulb
- Halogen bulb - 120V 50W
- LED bulb

Optional for all items listed on this page:

LOW VOLTAGE HALOGEN LAMPS



LOW VOLTAGE HALOGEN LAMP


A item# 41781

- Highly efficient, energy saving 12V/20W, 10° spot halogen bulb provides whiter, brighter, more natural light at a color temperature of 3,000°K.
- 2 1/2" diameter x 2 1/8" well-ventilated polyamide housing with convenient on/off switch.
- Dichroic reflector allows 60% of the heat to pass through the rear of the shade, producing a much cooler light beam.
- Height adjustable from 50" to 76" on a 24" vinyl covered flexible arm.
- A chrome plated neck swivel is optionally available -- 90° angular and 350° axial rotation.
- Available in white only.
- Wall mount.

LOW VOLTAGE HALOGEN LAMP

B item# 41782

- Highly efficient, energy saving 12V/20W, 10° spot halogen bulb provides whiter, brighter, more natural light at a color temperature of 3,000°K.
- 2 1/2" diameter x 2 1/8" well-ventilated polyamide housing with convenient on/off switch.
- Dichroic reflector allows 60% of the heat to pass through the rear of the shade, producing a much cooler light beam.
- Height adjustable from 50" to 76" on a 24" vinyl covered flexible arm.
- A chrome plated neck swivel is optionally available -- 90° angular and 350° axial rotation.
- Available in white only.
- 16 3/4" extended wall mount.
- Swings 180° laterally



Optional: item# 031 hospital grade plug (not shown)

LOW VOLTAGE HALOGEN LAMPS



C

LOW VOLTAGE HALOGEN LAMP

C item# 41783

- Highly efficient, energy saving 12V/20W, 10° spot halogen bulb provides whiter, brighter, more natural light at a color temperature of 3,000°K.
- 2 1/2" diameter x 2 1/8" well-ventilated polyamide housing with convenient on/off switch.
- Dichroic reflector allows 60% of the heat to pass through the rear of the shade, producing a much cooler light beam.
- Height adjustable from 50" to 76" on a 24" vinyl covered flexible arm.
- A chrome plated neck swivel is optionally available - 90° angular and 350° axial rotation.
- Available in white.
- 13" x 13" stationary base



D

LOW VOLTAGE HALOGEN LAMP

D item# 41784

- Highly efficient, energy saving 12V/20W, 10° spot halogen bulb provides whiter, brighter, more natural light at a color temperature of 3,000°K.
- 2 1/2" diameter x 2 1/8" well-ventilated polyamide housing with convenient on/off switch.
- Dichroic reflector allows 60% of the heat to pass through the rear of the shade, producing a much cooler light beam.
- Height adjustable from 50" to 76" on a 24" vinyl covered flexible arm.
- A chrome plated neck swivel is optionally available - 90° angular and 350° axial rotation.
- Available in white.
- 13" x 13" mobile base

E item# 41786 [Not Shown]

- clamp model
- All other specifications are the same as item# 41784, listed above

Replacement bulbs item#s 094 and 095 are available.

LOW VOLTAGE HALOGEN LAMPS



F **item# 41883**

- Provides the features found on more expensive lamps in a more compact, space-saving package.
- Height adjustable from 36" to 64" on a 12" chrome plated flexible arm.
- 2 1/2" diameter x 2 1/8"
- well ventilated polyamide housing
- 12V/20W, 10° spot halogen bulb with heat absorbing dichroic reflector. (3,000°K)
- Black with chrome
- A 6 lb. 10 5/8" diameter round chrome plated base is standard.

G **item# 41884**

- 13" x 13" mobile base.
- All other specifications are the same as item# 41883, listed above

H **item# 41885**

- Desk model
- Lamp with a 2 1/2" diameter polyamide shade
- 20 watt, 10 degree spot halogen bulb. Available at additional cost.


MINOR SURGERY AND EXAM LAMPS



MINOR SURGERY & EXAM LAMP

A item# 43012

- Provides a wide area of incandescent light.
- Dual shade deflects heat through side vents keeping the shade cool to the touch.
- Available with either a 30" flexible arm or a 45" reach, spring balancing system which enables the lamp to be turned, raised, lowered or tilted to any desired position and stay put without adjustment.
- Spring lamp with extended wall swivel mount.
- LED bulbs available.



MINOR SURGERY & EXAM LAMP

B item# 43016

- Provides a wide area of incandescent light.
- Dual shade deflects heat through side vents keeping the shade cool to the touch.
- Available with either a 30" flexible arm or a 45" reach, spring balancing system which enables the lamp to be turned, raised, lowered or
- Spring lamp with table clamp
- LED bulbs available.

MINOR SURGERY AND EXAM LAMPS



MINOR SURGERY & EXAM LAMP

c item# 43014

- Provides a wide area of incandescent light.
- Dual shade deflects heat through side vents keeping the shade cool to the touch.
- Available with either a 30" flexible arm or a 45" reach, spring balancing system which enables the lamp to be turned, raised, lowered or tilted to any desired position and stay put without adjustment.
- Spring lamp with mobile base. *(This feature is only on this model)*
- LED bulbs available.

D item# 43011 [Not Shown]

- Spring lamp with wall mount
- Comes in white only.
- LED bulbs available.
- All other specifications are the same as item# 43014, listed above

E item# 43013 [Not Shown]

- Spring lamp with stationary base.
- LED bulbs available.
- All other specifications are the same as item# 43014, listed above

MINOR SURGERY AND EXAM LAMPS

MINOR SURGERY & EXAM LAMP

F item# 43434

- Available with either flexible arm or spring balancing system.
- 75W, line voltage halogen bulb and cylindrical dichroic glass filter.
- Metal plate in front of bulb reflects light back to reflector – reduces shadows.
- Chrome and black or chrome and white.
- Mobile base (*This feature is only on this model*)

G item# 43433 [Not Shown]

- Gooseneck lamp with stationary base.
- All other specifications are the same as item# 43434, listed above

H item# 43432 [Not Shown]

- extended wall swivel mount. Spring lamp with wall mount
- All other specifications are the same as item# 43434, listed above

I item# 43431 [Not Shown]

- Spring lamp with wall mount.
- All other specifications are the same as item# 43434, listed above



INFRA-RED LAMPS

NON-LUMINOUS GENERATORS

- Features ceramic heaters that change color from coral to gray when energized.
- Nickel-chromium resistance wire embedded into a ceramic casting provides uniform heat transmission, 96% thermal efficiency with low element surface temperature.
- Inner body of the element is filled with ceramic fiber insulation, which conserves energy, maximizes efficiency and minimizes heat build-up at the terminal area.
- Heat up time is 3 – 9 minutes to reach 90% of maximum temperature.

PATIENT MODEL INFRA-RED LAMPS

A item# 51102

- Recommended for those patients requiring supplemental heat treatments at home.
- 12" flexible arm
- 3 conductor cord set
- 250W ceramic heater and protective screen.
- Adjustable 35" – 58" on a 10 5/8" stationary base.



Item# 054 Replacement 250W ceramic generator. 10,000 hour life. 3.54" diameter.



PATIENT MODEL INFRA-RED LAMPS

B Item# 51103

- Recommended for those patients requiring supplemental heat treatments at home.
- 12" flexible arm
- 3 conductor cord set
- 250W ceramic heater and protective screen.
- Adjustable 35" – 58"
- 13" x 13" mobile base.

c item#. 53103 [Not Shown]

- Variable heat control or 30 minute timer switch. Specify.
- All other specifications are the same as item# 51103, listed above

INFRA-RED LAMPS



PROFESSIONAL MODEL INFRA-RED LAMPS

D Item# 51524

- Designed for use in hospitals, clinics and large practices.
- Equipped with 3 conductor cord sets with hospital grade plugs, a control panel that houses an on/off indicator light and either an intensity control, 30 minute timer switch or both.
- 750W ceramic heating element electromagnetically transmits extremely uniform heat to the patient. Unit changes from coral to gray when energized. No visible light produced.
- Timer and variable control.
- Adjustable 31" – 52".
- Extends 15" over bed.

E Item# 51523


- Variable control.
- Adjustable 31" – 52".
- Extends 15" over bed.
- All other specifications are the same as item# 51524, listed above

F Item# 51522

- timer switch
- All other specifications are the same as item# 51524, listed above

Item# 157 Replacement 750W ceramic generator.

INFRA-RED LAMPS



LUMINOUS GENERATORS

G Item# 51152

- Equipped with 175W ruby colored IR bulbs, which have a thick protective lens and an optical system which produces an 18" beam pattern. The red color provides a 95% reduction in glare.
- Available with either a master on/off switch, dimmer control or timer switch.
- Equipped with three conductor cord sets, hospital plugs, protective wire guards, air-cooled shades with individual on/off switches, rotational swivels and 19" flexible arms.
- Lamp with single head
- 10 5/8" stationary base.


H Item# 51153

- Mobile base.
- All other specifications are the same as item# 51152, listed above



I Item# 53153

- Variable heat control or 30 minute timer switch.
-
- All other specifications are the same as item# 51152, listed above



INFRA-RED LAMPS



LUMINOUS GENERATORS

A Item# 51053

- Equipped with 175W ruby colored IR bulbs, which have a thick protective lens and an optical system which produces an 18" beam pattern. The red color provides a 95% reduction in glare.
- Available with either a master on/off switch, dimmer control or timer switch.
- Equipped with three conductor cord sets, hospital plugs, protective wire guards, air-cooled shades with individual on/off switches, rotational swivels and 19" flexible arms.
- Lamp with two heads.
- 350W.

B Item# 51058 [Not Shown]

- Timer switch or variable control.
- All other specifications are the same as item# 51053, listed above

INFRA-RED LAMPS


LUMINOUS GENERATORS

C Item# 51853

- Equipped with 175W ruby colored IR bulbs, which have a thick protective lens and an optical system which produces an 18" beam pattern. The red color provides a 95% reduction in glare.
- Available with either a master on/off switch, dimmer control or timer switch.
- Equipped with three conductor cord sets, hospital plugs, protective wire guards, air-cooled shades with individual on/off switches, rotational swivels and 19" flexible arms.
- Lamp with three heads.
- 525W.

D Item# 51858 [Not Shown]

- Timer switch or variable control.
- All other specifications are the same as item# 51853, listed above



E Item# 52254

- Equipped with 175W ruby colored IR bulbs, which have a thick protective lens and an optical system which produces an 18" beam pattern. The red color provides a 95% reduction in glare.
- Available with either a master on/off switch, dimmer control or timer switch.
- Equipped with three conductor cord sets, hospital plugs, protective wire guards, air-cooled shades with individual on/off switches, rotational swivels and 19" flexible arms.
- Lamp with three heads.
- Wall mount.

F Item# 52154 [Not Shown]

- Lamp with two heads.
- Wall mount.

STEP & MOBILE TREATMENT STOOLS



STANDARD STEP STOOL

item# 16002

- All silver vein steel construction.
- 11" x 14" platform with non-skid rubber mat.
- 14" x 18" x 9"H.



STEP STOOL WITH HANDRAIL

item# 16003

- All silver vein steel construction.
- 11" x 14" platform with non-skid rubber mat.
- Handrail
- Overall height: 33 1/2".



BARIATRIC HEAVY DUTY FOOTSTOOL

Item# 16004

- Chrome plated 1" steel tubing with reinforcing steel brace.
- 500 lb. weight capacity.
- 10" x 14" platform with non-skid rubber mat.
- 14" x 18 1/2" x 9"H on reinforced rubber tips.

INSTRUMENT STANDS

CART

item# 30820

- High impact polystyrene construction. 15" x 16" x 29"H.
- Lockable, roll-up tambour door.
- Includes 4 assorted trays and 4 side pockets to store bottles and sprays.
- Any of the trays hook onto either side or top to increase working space.
- Additional trays available at additional cost
- Inside Tray Dimensions: 9 1/4"W x 13 1/4"D x 2 3/4"H.
- White or black finish.



HAMPER

Item# 80-81401

- Supports 36 - 42 gallon bags
- Glides easily with 3" locking casters
- Non-slip pedal raises the white, poly-coated steel lid
- Chrome plated steel - easy to maintain
- Height 38", Lid 18"x19.5"

TREATMENT STANDS

MAYO INSTRUMENT STANDS

A item# 33100


- Designed for use under low clearance units. Static free due to contact of metal base with floor.
- Brandt instrument stands combine stability with mobile convenience.
- Chrome steel frames
- 12 1/2" x 19" stainless steel trays
- 2" dual wheel casters.
- Height adjustment 33" – 52"
- CENTER POSITION 9 1/2"
- Offset position 20"
- Spread of legs 18 1/2" X 24"



STAND FOR HYFRECATOR®

B item# 32205

- Designed to hold the Hyfrecator® at the correct height and viewing angle. Easy to move from room to room.
- 13" x 13" base with 2" dual wheel casters.
- Height: 34".



DUAL POSITION INSTRUMENT STANDS

C item# 32000

- Designed for use under low clearance units. Static free due to contact of metal base with floor.
- Brandt instrument stands combine stability with mobile convenience.
- Chrome steel frames
- 12 1/2" x 19" stainless steel trays
- 2" dual wheel casters.
- Height adjustment 27 1/2" – 46 1/2"
- Center position 9 1/2"
- Offset position 15 1/2"
- Spread of legs 16 1/2" x 16 1/2"



Optional for all stands, item# 027 -
extra 12 1/2" x 19" stainless steel tray



DOUBLE POST INSTRUMENT STAND

A item# 33101

- For use under low clearance units.
- Adjustable from 34" to 54 1/2".
- Supplied with No. 027, 12 1/2" x 19 1/2" stainless steel tray.



B item# 39100

- Designed for use under low clearance units. Static free due to contact of metal base with floor.
- Brandt instrument stands combine stability with mobile convenience.
- Chrome steel frames
- 12 1/2" x 19" stainless steel trays
- 2" dual wheel casters.
- Height adjustment 27 1/2" – 46 1/2"
- Center position 9 1/2"
- Offset position 15 1/2"
- Spread of legs 16 1/2" x 16 1/2"
- composite base
- Spread of legs 23" Diameter




C item# 39101

- Designed for use under low clearance units. Static free due to contact of metal base with floor.
- Brandt instrument stands combine stability with mobile convenience.
- Chrome steel frames
- 12 1/2" x 19" stainless steel trays
- 2" dual wheel casters.
- Height adjustment 27 1/2" – 46 1/2"
- Center position 9 1/2"
- Offset position 15 1/2"
- Spread of legs 16 1/2" x 16 1/2"
- Wall-saver polished aluminum base.
- Spread of legs 23" Diameter

Optional for all stands, **item# 027** - extra 12 1/2" x 19" stainless steel tray

IV POLES



A item# 35700

- Basic IV stand with a powder coated, low center of gravity base
- 2 chrome plated hooks and upright.
- Adjustable from 47" to 85".



B item# 35704

- IV stand with 5 point composite base,
- 2 chrome hooks and upright.
- Adjustable from 48" to 83".

C item# 35706

- IV stand with 5 leg polished aluminum base
- 2 chrome hooks and upright.
- Adjustable from 48" to 83".

D item# 35716

- IV stand with 5 leg polished aluminum base
- 4 chrome hooks.
- Adjustable from 48" to 83".

STAND

A Item# 36410

- Designed for use with electrosurgical units, pumps, ECG, ultrasonic scalers and other medical instruments.
- 2" casters are standard, 3" ball-bearing casters, No. 075, are available at additional cost.
- White or gray laminated shelves. 19"W x 17 1/2"D x 29"H.
- Polystyrene drawer: 10 1/4" W x 14 3/4" x 3"H.

B Item# 36400 [Not Shown]

- No drawer
- All other specifications are the same as item# 36410, listed above



A



C

STAND

C Item# 36411

- Designed for use with electrosurgical units, pumps, ECG, ultrasonic scalers and other medical instruments.
- 2" casters are standard, 3" ball-bearing casters, No. 075, are available at additional cost.
- Polystyrene drawer: 10 1/4" W x 14 3/4" x 3"H
- White or gray laminated shelves. 19"W x 17 1/2"D x 29"H.
- Wire frame on back and sides.

D Item# 36401 [Not Shown]

- No drawer
- All other specifications are the same as item# 36411, listed above

OVERBED TABLES



NON-TILT OVERBED TABLE

Item# 33201

- Walnut, wood grain low-pressure laminate top
- Table top can be raised or lowered in infinite positions between 28" - 45"
- "H" base provides security and stability
- Silver Vein for is easy-to-maintain and less institutional looking
- Tabletop locks securely when height adjustment handle is released
- It can be raised with slightest upward pressure
- 2" swivel casters allow for easy maneuverability
- Weight capacity 40 lbs

DOUBLE TOP OVERBED TABLE

Item# 33301

- Features two table surfaces - a larger one that tilts in either direction and a smaller one that stays securely in place
- Easily assembled
- Walnut, wood grain low-pressure laminate top
- Tops can be raised or lowered in infinite settings between 30"
- Swivel casters allow for easy maneuverability
- Chrome-plated steel "H" base provides security and stability
- Tabletops lock securely when height adjustment handle is released
- Tabletop level can be raised with the light upward pressure
- Weight capacity 55 lbs



OVERBED TABLES



DELUXE, TILT TOP OVERBED TABLE

Item# 33401

- Easily assembled
- Walnut, wood grain low-pressure laminate top
- Top can be tilted 33° in either direction
- Top can be raised or lowered in infinite settings between 29.5" - 46"
- Swivel casters allow for easy maneuverability
- Chrome-plated steel "H" base provides security and stability
- Tabletop locks securely when height adjustment handle is released. It can be raised with the slightest upward pressure
- Weight capacity 50 lbs

OVERBED TABLE

Item# 10-2801

- Flat, sturdy surface to eat, read, write, or use the computer on while in bed or in a chair
- Sturdy base fits under bed and has four swivel casters that glide easily over any surface
- Height adjustable from 28" to 42" with easy-to-use lever
- Adjusts for right or left handed use
- Holds up to 50 lbs
- Easy to assemble with very few parts and little physical strength needed
- Tabletop dimensions: 33" x 16"



PRIVACY SCREENS



3 PANEL PRIVACY SCREEN

A item# 70000

- Economical folding screens feature 3/4" diameter anodized aluminum frames with stainless steel hinges.
- Panels are white
- 6mil flame retardant, bacteriostatic vinyl
- Meets California bulletin #117
- 3 panel - folded width: 19", extended width: 48"
- Height 68"
- Available with casters – **Item# 70000-022**

3 PANEL KING SIZE SCREEN

B item# 70001

- Economical folding screens feature 3/4" diameter anodized aluminum frames with stainless steel hinges.
- Panels are white
- 6mil flame retardant, bacteriostatic vinyl
- Meets California bulletin #117
- 3 panel – folded width: 31", extended width: 85"
- Height 68"
- Available with casters – **Item# 70001-022**



4 PANEL PRIVACY SCREEN

C item# 70002

- Economical folding screens feature 3/4" diameter anodized aluminum frames with stainless steel hinges.
- Panels are white
- 6mil flame retardant, bacteriostatic vinyl
- Meets California bulletin #117
- 4 panel – folded width: 19", extended width: 62"
- Height 68"
- Available with casters – **Item# 70002-022**

DELUXE 3 PANEL SCREEN WITH CASTERS

D item# 70003

- Sturdy 1" diameter anodized aluminum tubing
- Screens are 6 mil flame retardant bacteriostatic white vinyl
- Four, 3" hooded casters
- Easy to maintain and clean
- Each hinged panel measures 56" (H), 27.5" (W)



LARGE SIZE NARCOTIC SAFE WITH THREE ADJUSTABLE SHELVES

A Item# 80001

- Provides double door protection for controlled substances.
- Each door has an individual key which cannot be removed in the open position.
- Each door is suspended on a full piano hinge.
- Heavy duty welded box in gray hammer tone
- 24" x 16" x 8" with 3 adjustable shelves



STANDARD SIZE NARCOTIC SAFE

B item# 80000

- Provides double door protection for controlled substances.
- Each door has an individual key which cannot be removed in the open position.
- Each door is suspended on a full piano hinge.
- Heavy duty welded box in gray hammer tone.
- 14.5" x 9.5" x 4" with two adjustable shelves

DIGITAL NARCOTIC SAFES

DIGITAL SAFE

A Item# 80000E

- Heavy duty steel welded box in Gray hammer-tone
- Door is suspended on a full piano hinge
- Provides protection for controlled substances
- 10"W x 15"H x 6.5"D
- 2 adjustable shelves



A



B

DIGITAL SAFE

B Item# 80001E

- Heavy duty steel welded box in Gray hammer-tone
- Door is suspended on a full piano hinge
- Provides protection for controlled substances
- 16"W x 24"H x 10.5"D
- 3 adjustable shelves

DIGITAL LOCK

- Elock - All metal construction, motorized locking engagement
- Easy administration with smartphone app
- Access with keypad or free lock app
- Multi use pass code, e.g. company employees
- Elock "tiles" shows locked or unlocked state
- Battery meter
- View list of active codes and add/delete users at any time
- Data log keeps record of the last 600 activities
- Rechargeable lithium battery
- Bluetooth data transmission secured with AES encryption to prevent hacking
- 80001 Digital, images attached

VINYL COVERED FIRM FOAM BOLSTERS



Item # 50-1010

Vinyl Bolster 45 degree Wedge 7 x 21 x 7



Item # 50-1020

Vinyl Bolster Semi Round 8 x 18 x 6



Item # 50-1030

Vinyl Bolster 45 degree Wedge 8 x 16 x 8



Item # 50-1040

Vinyl Bolster Block 8 x 12 x 6



Item # 50-1050

Vinyl Bolster 30/60/90 Wedge 10 x 24 x 6

NON CONTACT FOREHEAD INFRA-RED THERMOMETER

Item# 98806

- Precise non contact measurements
- Can be used with either Celsius or Fahrenheit
- Can be calibrated
- Memorization of the last 32 measurements
- LCD display
- Automatic data hold
- Auto power off
- Batteries included (2 AA)
- Measures between 2" and 5.9" distance



Item# 75125

- Skate 6" x 12" with 2 Velcro straps
- Used for upper extremity range of motion exercise
- Vinyl upholstered
- Provided with vinyl straps with Velcro closure



Item# 75115


- Skate 6" x 6" with 1 Velcro strap
- Used for upper extremity range of motion exercise
- Vinyl upholstered
- Provided with vinyl straps with Velcro closure

ERGONOMIC PATIENT TRANSFER BOARD

Item# 14500 - 37.4" x 19.7"

Item# 14501 - 70.9" x 19.7"

- Meets all requirements for transferring patients including bariatric
- Ergonomically designed to transfer patient from stretcher with ease
- Ergonomically designed dual handle grips at both ends
- Sleek one piece integrated board
- MRI safe - no screws, metal or plastic parts
- Easy to clean with normal non-abrasive disinfectant cleaners
- No corners, gaps or hinges, where bacteria or fungus can form
- Long life silver cover foil with anti-bacteria coating
- Latex free
- Kevlar strips inserted for strength and warp resistance
- Fold-able for easy transport and storage
- Available in 2 different sizes



GLIDING FOIL

Item# 14600

- Disposable 1 time use hygienic cover in place of the silver cover foil.
- All other specifications are listed above

GLIDING FOIL DISPENSER

Item# 14601



SILVER COVER FOIL

Item# 14602

- Gives it the utmost support, safety, ease and comfort to shift a patient. Can be removed and cleaned with detergent.
- All other specifications are listed above

XXL CARRY/TRANSFER CLOTH

Item# 14502

- Carries extremely heavy patients
- Water proof
- Absorbs up to 1 gallon of liquid





ADJUSTABLE HEIGHT ERGONOMIC COMPUTER STAND

Item# 30006

- 23.5" W x 17" D - MDF top in Wood grain finish
- Height adjustment from 30.5" to 40.5"
- Non rotational
- 5 star mobile chrome base
- Height adjustable by foot

ACCURO SMART SCALE WITH BUILT-IN TECHNOLOGY & RFID TECHNOLOGY

A Model: DB100

FEATURES:

- Instant On/ Any button wake up
- BMI
- Easy assembly
- Integrated Mechanical Height Rod (Std), Digital Ultrasonic Height Rod (Optional)
- Manual height input (for BMI)
- Aluminum column, metal base w/ABS plastic cover
- RS232, USB (Bluetooth OPTIONAL)
- 2" Wheels
- Zero, Cm, In, Lb, Kg
- 12/24 Hour Clock
- 4 AA-Size Batteries with Low Battery Indicator, three year life
- AC adaptor INCLUDED
- Audio indication of key action can be turned on/off by user
- 1 Year Limited Warranty

SPECIFICATION:

- Capacity: 500 Lbs x 0.1 lb, 226.8 Kg x 0.05 Kg
- Accuracy: +/- 0.1 LBS, 0.05 Kg
- Dimensions: 15" x 13" x 54" (L x W x H)
- Platform Size: 15"x 13"x 2"
- Durable ABS housing construction
- Durable ABS platform with Metal Accents
- Raised tactile buttons
- 1.5" LCD text character height w/orange back light
- Overload Protection
- Height Rod: Minimum 2' - 7" (81 cm)
Maximum 6' - 10" (210 cm)



B



B Model: IS100

FEATURES:

- Instant On/ Any button wake up
- Easy Chair assembly
- Integrated Tape Measure (Std),
- Zero, Lb, Kg, Reweigh
- 4 AA-Size Batteries with Low Battery Indicator, 3 year life
- AC adaptor (sold separately)
- Audio indication of key action can be turned on/off by user
- 1 Year Limited Warranty

SPECIFICATION:

- Capacity: 45 lb x 0.2 oz, 20 kg x 5 g
- Accuracy: +/- 0.2 oz , 5g
- Dimensions: 30" x 15.00" x 5.00" (L x W x H)
- Platform Size: 25"x 13" x 2"
- Durable ABS housing construction
- Raised tactile buttons
- 1.5" LCD text character height w/orange back light
- Overload Protection
- Tape Measure: Minimum 0 – 36" (91 cm)

c Model: HRS100

FEATURES:

- Instant On/ Any button wake up
- BMI
- Easy assembly
- Integrated Mechanical Height Rod (Std),
Digital Ultrasonic Height Rod (Optional)
- Manual height input (for BMI)
- Aluminum column, metal base w/ABS plastic cover
- RS232, USB (Bluetooth OPTIONAL)
- 3" Wheels
- Zero, In, Lb, Kg, Last Weight, Reweigh
- 12/24 Hour Clock
- 6 AA-Size Batteries with Low Battery Indicator, three year life
- AC adaptor (sold separately)
- Audio indication of key action can be turned on/off by user
- 1 Year Limited Warranty

SPECIFICATION:

- Capacity: 1000 Lbs x 0.1 lb, 454 Kg x 0.05 Kg
- Accuracy: +/- 0.1 LBS, 0.05 Kg
- Dimensions: 25" x 29 " x 46" (L x W x H)
- Platform Size: 24" x 22 " x 2"
- Durable ABS housing construction
- Durable ABS platform with Metal Accents
- Raised tactile buttons
- 1.5" LCD text character height w/orange back light
- Overload Protection
- Integrated Height Rod: Minimum 2' - 7" (81 cm)
Maximum 6' - 10" (210 cm)



c



D Model: WCS100

FEATURES:

- Instant On/ Any button wake up
- BMI
- Manual height input (for BMI)
- Aluminum construction
- RS232, USB, (Bluetooth OPTIONAL)
- 3" Wheels
- Zero, Lb, Kg, Chair Recall, Last Weigh, Reweigh
- 12/24 Hour Clock
- AC adaptor (sold separately)
- Audio indication of key action can be turned on/off by user
- 1 Year Limited Warranty
- Scale folds to a compact size of 12" x 49"
- 6 AA-Size Batteries with Low Battery Indicator, three year life
- Fully integrated indicator

SPECIFICATION:

- Capacity: 1000 Lbs x 0.1 lb, 454 Kg x 0.05 Kg
- Accuracy: +/- 0.1 LBS, 0.05 Kg
- Dimensions with Ramp: 46" x 42" x 45.5" (L x W x H)
- Platform Size: 33" x 32.5" x 3"
- Aluminum construction
- Raised tactile buttons
- 1.5" LCD text character height w/orange back light
- Overload Protection
- 10 wheelchair memory tare weight recall

E Model: RIS100

FEATURES:

- Instant On/ Any button wake up
- BMI
- Manual height input (for BMI)
- Steel base with ABS plastic over with metal accents and recessed bumps
- RS232, USB connectivity to external computer
- Bluetooth or RF wireless communication to the remote indicator OPTIONAL)
- Zero, Lb, Kg, Last Weight, Reweigh
- 12/24 Hour Clock
- 6 AA-Size Batteries with Low Battery Indicator, three year life
- AC adaptor (sold separately)
- Audio indication of key action can be turned on/off by user
- 1 Year Limited Warranty
- Indicator can swivel to allow for optimum viewing angle
- Wall mounting bracket serves as table top bracket
- Carrying Case (Optional)

SPECIFICATION:

- Capacity: 500 Lbs x 0.1 lb, 226.8 Kg x 0.05 Kg
- Accuracy: +/- 0.1 LBS, 0.05 Kg
- Dimensions: 15" x 15" x 2" (L x W x H)
- Steel construction
- Durable ABS platform cover with Metal Accents
- Raised tactile buttons
- 1.5" LCD text character height w/orange back light
- Overload Protection
- 6' cable to remote display



E



F Model: WHRS100

FEATURES:

- Instant On/ Any button wake up
- BMI
- Easy assembly
- Manual height input (for BMI)
- Audible Weight Annunciation
- Aluminum column
- Aluminum base
- 1" Wheels
- Lb, Kg, Volume
- 12/24 Hour Clock
- 4 AA-Size Batteries with Low Battery Indicator, 1 year life
- AC adaptor (sold separately)
- Audio indication of key action can be turned on/off by user
- 35" Handle Bar Height
- 1 Year Limited Warranty

SPECIFICATION:

- Capacity: 500 Lbs x 0.1 lb, 226.8 Kg x 0.05 Kg
- Accuracy: +/- 0.1 LBS, 0.05 Kg
- Dimensions: 19" x 19" x 38" (L x W x H)
- Platform Size: 19" x 19" x 2.5"
- Durable ABS indicator housing
- Light weight Aluminum platform
- Light weight Aluminum Column
- Raised tactile buttons
- 1.5" LCD text character height w/orange back light
- Overload Protection
- Scale Weight 25 lb